SECTION 1- PRODUCT IDENTIFICATION

PRODUCT NAME GLOSAN NC LF

SYNONYMS Product is a mixture: No synonyms are available

PRODUCT USE Alkaline Material SUPPLIER WESMAR CO. INC.

SUPPLIER'S ADDRESS 5720 204TH ST SW, Lynnwood, WA 98036

(206) 783-5344

EMERGENCY RESPONSE PHONE PERS: 1-800-633-8253



SECTION 2 – HAZARD IDENTIFICATION

GHS – US CLASSIFICATION : H290 Metal corrosion Category 1

H314 Skin Corrosion Category 1B
 H318 Serious Eye Damage Category 1B
 H412 Aquatic Acute Category 3

HAZARD PICTOGRAMS





SIGNAL WORD : DANGER

GHS LABEL ELEMENTS : The product is classified and labeled according to the Globally Harmonized System

(GHS).

GHS PHYSICAL HAZARDS : H290 May be corrosive to metals.

: H314 Causes severe skin burns and eye damage.

: H318 Causes serious eye damage.

: H412 Harmful to aquatic life with long lasting effects.

GHS PRECAUTIONARY HAZARDS : P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash skin and contaminated clothing thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear suitable protective gloves/protective clothing/eye

protection/face protection.

P301+P330 IF SWALLOWED. Rinse mouth. Do NOT induce vomiting.

+P331

P303+P361 IF ON SKIN (or hair): Remove/Take off immediately all contaminated

+P353 clothing. Rinse skin with water/shower.

: P305+P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove

+P338 contact lenses, if present and easy to do. Continue rinsing.

: P305+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position.

P310 Immediately call a POISON CENTER or doctor/physician.

P330 Rinse mouth if ingested.

: P405 Store locked up.

P501 Dispose of contents/container in accordance with

local/regional/national/international regulations.

OSHA HAZARDS : Not applicable.
TARGET ORGANS : Not applicable.

CLASSIFICATION SYSTEM: : NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme.

NFPA ratings (scale 0-4): : Health = 2, Fire = 0, Reactivity = 0

HMIS ratings (scale 0-5): : Health = 2, Fire = 0, Reactivity = 0

SECTION 3 - COMPOSITON/INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERIZATION :

Mixtures

DESCRIPTION

: Mixture of the substances listed below with nonhazardous additions.

COMPONENT	PERCENT	CAS#	EC#	GHS CLASS
Sodium Metasilicate	20-30	6834-92-0	229-912-9	Skin Corr: Cat 1C, Eye Corr. Cat 1
Sodium Percarbonate	20-30	15630-89-4	239-707-6	Ox Solid Cat 2, Skin Irrit Cat 4
				Eye Dam Cat 1
Sodium Tripolyphosphate	30-40	7758-29-4	231-838-7	Skin & Inhalation Irrit. Cat 4
Sodium Carbonate	10-20	497-19-8	207-838-8	Skin Irrit. Cat 2, Eye Irrit. Cat 2A
Alkylether Hydroxypropyl Sultaine	< 2	108797-84-8	Not Found	Skin Irrit Cat 2, Eye Irrit Cat 2A
		108797-85-9		

Corr. = Corrosion, Dam. = Damage, Tox = Toxic,

SECTION 4 – FIRST AID MEASURES

EYE CONTACT : Immediately flush eyes with water for at least 15 minutes. Hold eyelids open to ensure adequate flushing. Remove contact lenses, if present and easy to do so.

Continue rinsing. Immediate call a POISON CENTER or doctor/physician.

SKIN CONTACT: Remove contaminated clothing and shoes. Wash affected skin area with water for

at least 15 minutes. Delayed skin damage is possible if product is not completely washed off. Get immediate medical attention. Wash contaminated clothing before

reuse.

SWALLOWING (INGESTION): If ingested, dilute swallowed material by drinking water. DO NOT INDUCE

VOMITING. Never give anything by mouth to an unconscious person. Immediate

call a POISON CENTER or doctor/physician.

INHALATION : When symptoms occur, go into open air and ventilate suspected area. Remove to

fresh air and keep at rest in a position comfortable for breathing. Immediately call a

POISON CENTER/doctor/physician.

GENERAL MEASURES : Never give anything by mouth to an unconscious person. Rescue personnel must

wear appropriate protective equipment during removal of victims from

contaminated areas. Treat symptomatically and supportively.

SECTION 5 – FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA

: Dry chemical, foam, water or carbon dioxide

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS

In the event of a fire, wear a NIOSH (USA) or CEN (EU) approved, positive pressure, self-contained breathing apparatus (SCUBA) and full protective clothing. Evacuate

FOR FIREFIGHTER

HAZARDS

all non-essential personnel from the danger area.

UNUSUAL FIRE AND EXPLOSION

Thermal decomposition products: Fire may produce irritating, corrosive and/or

toxic gasses. Decomposition releases oxygen and heat which can support

combustion and cause pressure build-up in confined spaces or containers

SECTION 6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS,
PROTECTIVE EQUIPMENT AND
EMERGENCY PROCEDURES
ENVIRONMENTAL PRECAUTIONS

Restrict access to keep out unauthorized or unprotected personnel. Wear

protective equipment. Avoid inhalation and direct contact.

Keep spilled material away from sewage/drainage systems and waterways. This product contains a U.S. EPA Reportable Quantity (RQ) substance. If amounts

METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP

exceeding the Reportable Quantity are released, notification of the National Response Center (800) 424-8802 is required. See section15 for more information.

All clean-up personnel must be properly trained. Confine the spill and remove incompatible materials and ignition sources. Ensure adequate ventilation. Secure the source of the leak if conditions are safe. Neutralize spill and collect using an appropriate absorbent material such as clay or vermiculite. Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

SECTION 7 – HANDLING AND STORAGE

PRECAUTIONS FOR SAFE

HANDLING

: Use with adequate ventilation. Wear proper protective equipment. Do not mix with water or acids without proper dilution and agitation to prevent a potentially violent reaction.

CONDITIONS FOR SAFE STORAGE

Store in closed, properly labeled containers. Protect containers from heat, physical damage, ignition sources and incompatible materials. Have emergency equipment for fires and spills readily available.









SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

TLV (THRESHOLD LIMIT VALUE)

The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT	OSHA PEL – TWA	ACGIH TLV-Ceiling	ACGIH - STEL
Sodium Metasilicate	8hr Recommended:	Not Established	Not Established
	3mg/m³		
Sodium Percarbonate	Not Established	Not Established	Not Established
Sodium Tripolyphosphate	Not Established	Not Established	Not Established
Sodium Carbonate	Not Established	Not Established	Not Established
Alkylether Hydroxypropyl Sultaine	Not Established	Not Established	Not Established

EYE PROTECTION : Wear chemical splash goggles or face shield.

SKIN PROTECTION : Minimize contact with product. Wear chemical resistant coveralls, boots, gloves,

apron and/or suitable long-sleeved clothing.

RESPIRATORY PROTECTION: In case of brief exposure use respiratory filter device. In case of intensive or longer

exposure, use respiratory protective device that is independent of circulating air.

VENTILATION : Ensure adequate ventilation.

ADDITIONAL MEASURES : Emergency eyewash and safety shower facilities should be available in the

immediate work area.

REQUIRED WORK/HYGIENE : Wash hands thoroughly after handling. Keep away from all food stuffs, beverages

and feed. Do not eat, drink or smoke in work area.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: White free flowing powder with slight odor.

ODOR : Mild odor
ODOR THRESHOLD : Not available
PH : > 12.0 (1% solution)

MELTING POINT/FREEZING

Not available

POINT

BOILING POINT Not available

FLASHPOINT Non flammable, non combustible

EVAPORATION RATE Not available Not applicable **FLAMMABILITY** LOWER FLAMMABILITY LIMIT Not applicable **UPPER FLAMMABILITY LIMIT** Not applicable **VAPOR PRESSURE** Not available **VAPOR DENSITY (AIR=1)** Not available

RELATIVE DENSITY > 1.0 Soluble in water **SOLUBILITY IN WATER**

PARTITION COEFFICIENT n-

Not available

OCTANOL/WATER

AUTOIGNITION TEMPERATURE Not available **DECOMPOSITION TEMPERATURE** Not available

SECTION 10 - STABILITY AND REACTIVITY

STABILITY

HAZARDOUS CONDITIONS TO

AVOID

Stable under recommended storage conditions.

No decomposition if used according to specifications.

INCOMPATIBLE MATERIALS Keep away from strong acids.

:

HAZARDOUS DECOMPOSITION

PRODUCTS

No dangerous decomposition products known.

SECTION 11 – TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION

Sodium Metasilicate

ACUTE TOXICITY CHRONIC TOXICITY

LD50 Oral: 1280mg/kg (Rat), 2400mg/kg (mouse) No data were available regarding chronic exposure, reproductive or teratological

effects, or carcinogenicity for sodium metasilicate.

CARCINOGENICITY This product is not classified as a carcinogen by NTP, IARC or OSHA.

TOXICOLOGICAL INFORMATION

Sodium Percarbonate

ACUTE TOXICITY

Acute oral toxicity (LD50): 2200 mg/kg [Mouse].

CHRONIC EFFECTS ON HUMANS

No data available OTHER TOXIC EFFECTS ON

Very hazardous in case of skin contact (irritant). Hazardous in case of ingestion, of

inhalation. Slightly hazardous in case of skin contact (sensitizer).

HUMANS

SPECIAL REMARKS ON OTHER TOXIC EFFECTS ON HUMANS

Material is irritating to mucous membranes and upper respiratory tract.

TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

: Sodium Tripolyphosphate

Oral - rat LD50 - 5,400 mg/kg; practically non-toxic

Dermal - rabbit LD50 - > 7,940 mg/kg; practically non-toxic

Eye Irritation - rabbit - 3.3/110.0; slightly irritating Skin Irritation - rabbit - 0-0/8.0 (24-hr exp.); not irritating

Inhalation - LC50 > 0.39 mg/L (rat, 4 hr) (maximum attainable concentration)

TOXICOLOGICAL INFORMATION

: Sodium Carbonate

ACUTE TOXICITY

Not Classified. LD50 values: Oral LD50: 4090mg/kg (rat).

SKIN CORROSION/IRRITATION

Causes skin irritation.

SERIOUS EYE

Causes serious eye irritation.

DAMAGE/IRRITATION

TOXICOLOGICAL INFORMATION

: Alkylether Hydroxypropyl Sultaine **ACUTE TOXICITY**

LD50 Oral (Rat): 13,800mg/kg, Skin (rabbit): Slightly irritating, Eyes (rabbit): Slightly

irritating. Acute Inhalation Toxicity: No data found

CARCINOGENICITY This product is not considered to be probable or suspected human carcinogens by

IARC, ACGIH, NTP or OSHA.

SECTION 12 – ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION

Sodium Metasilicate

ECOTOXICITY (Aquatic Toxicity)

This material has exhibited moderate toxicity to aquatic organisms.

BIODEGRADATION PERSISTENCE

This material is inorganic and not subject to biodegradation. This material is believed to persist in the environment.

BIOCONCENTRATION

This material is not expected to bio-concentrate in organisms.

ECOLOGICAL INFORMATION

Sodium Percarbonate

ECOTOXICITY BOD5 AND COD Not available. Not available.

PRODUCTS OF

Possibly hazardous short term degradation products are not likely. However, long

BIODEGRADATION

term degradation products may arise.

TOXICITY OF THE PRODUCTS OF

BIODEGRADATION

The products of degradation are more toxic.

SPECIAL REMARKS ON THE

PRODUCTS OF BIODEGRADATION : Not available.

ECOLOGICAL INFORMATION

ECOTOXICITY

Sodium Tripolyphosphate

Invertebrate: 48-hr LC50 Daphnia magna: > 1000 mg/L; Practically Nontoxic 96 hr.

LC 50 > 100 mg/L, non-toxic (Rainbow trout, Inland silversides and mysid schrimp). [FMC I89-1081, 1082 & 1083] 48 hr. LC 50> 100 mg/L, non-toxic (Daphnia magna)

[FMC 189-1084]

PERSISTENCE and

DEGRADABILITY

No data available.

ENVIRONMENTAL FATE

Phosphates: Inorganic phosphates, including this product, at high concentrations in the environment have the potential to cause eutrophication in aquatic systems. This condition is characterized by excessive algal growth, and subsequent decreases

in oxygen levels. In general, proper use and disposal of this product should pose no

adverse ecological risk.

ECOLOGICAL INFORMATION : Sodium Carbonate

LC50 Fishes 1: 300mg/L, EC Daphnia: 265mg/L, LC50 Fishes 2: 740mg/L. **ECOTOXICITY**

PERSISTENCE and No data available.

DEGRADARIIITY

BIOACCUMULATIVE POTENTIAL No data available.

Alkylether Hydroxypropyl Sultaine **ECOLOGICAL INFORMATION**

Not available. **ECOTOXICITY** PERSISTENCE AND No data available.

DEGRADABILITY

BIOACCUMULATIVE POTENTIAL No data available.

SECTION 13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL : This product must be disposed of in accordance with Federal, state and local

environmental regulations. Discarded materials may be considered hazardous waste due to pH/corrosivity. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from this product, should be classified as a hazardous waste

SECTION 14 - TRANSPORTATION INFORMATION

DOT/IMDG/IATA PROPER

SHIPPING NAME

UN3262, CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (CONTAINS SODIUM METASILICATE) 8 PGII

HAZARD CLASS AND LABEL UN NUMBER

: 8 (Corrosive) : UN-3262 : PGII

PACKAGING GROUP
EPA REPORTABLE QUANTITY

(RQ)

: Not applicable.

MARINE POLLUTANT EMERGENCY RESPONSE

GUIDE

Not listed. ERG-154

SECTION 15 - REGULATORY INFORMATION

U.S. FEDERAL REGULATORY INFORMATION:

LISTED CARCINOGEN

: Not listed

TSC STATUS

: The ingredients of this product are listed on TSCA (Toxic Substances Control Act)

inventory (40CFR 710.)

SARA SECTION 302

EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355, APPENDIX A):

No chemicals in this material are subject to the reporting requirements of SARA Title

III, Section 302.

SARA SECTION 311 HAZARD

CATEGORIES (40 CFR 370):

No chemicals in this material are subject to the reporting requirements of SARA Title

III, Section 311.

SECTION 312 THRESHOLD PLANNING QUANTITY (40 CFR

370):

No chemicals in this material are subject to the reporting requirements of SARA Title

III, Section 312.

SARA SECTION 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III,

Section 313.

NFPA HEALTH : 2 NFPA FLAMMABILITY : 0 NFPA REACTIVITY : 0

EUROPEAN UNION REGULATORY INFORMATION:

EC CLASSIFICATION : C: Corrosive, Xn: Harmful.

DSD/DPD RISK (R) PHRASES : R34: Causes severe burns.

R22: Harmful is swallowed.

DSD/DPD SAFETY (S) : S1/2: Keep locked up and out of reach of children.

PHRASES S18: Handle and open containers with care.

S26: In case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.



S36/S37/39: Wear suitable protective clothing, gloves and

eye/face protection.

S45: In case of accidents or if you feel unwell, seek medical

advice immediately. Show label where possible.

S61: Avoid release to the environment.

S64: If swallowed, rinse mouth with water if victim is conscious.

DSD/DPD HAZARD SYMBOL : C: Corrosive, Xn: Harmful

CANADIAN REGULATORY INFORMATION

WHMIS CATEGORY : Class E: Corrosive, Class D2B: Materials that cause other toxic

effects (TOXIC). Class C: Oxidizer (Sodium Percarbonate)

DOMESTIC SUBSTANCES LIST

(DSL)

Listea

INGREDIENT DISCLOSURE LIST : Listed, This product has been classified in accordance with

the hazard criteria of the Controlled Products Regulations (CPR) and the sds contains all of the information required by

the CPR.





SECTION 16 - OTHER INFORMATION

DISCLAIMER : The information contained herein has been compiled from sources believed to be

realiable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Wesmar Co. assumes no responsibility for injury to any person or property resulting from any use of the material. Each user assumes the risk in their use of this product and should review the data and recommendations in the

specific context of their intended use.

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act.

EINECS : European Inventory of Existing Commercial Chemical Substances

IMDG
 International Maritime Code for Dangerous Goods
 IARC
 International Agency for Research on Cancer
 IATA
 International Air Transportation Association

ACGIH : American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA)

NTP : National Toxicology Program

SARA : Superfund Amendments and Reauthorization Act

TSCA : Toxic Substances Control Act

HMIS : Hazardous Materials Identification System (USA)WHMIS : Workplace Hazardous Materials Information System

LC50 : Lethal concentration, 50 percent

LD50 : Lethal dose, 50 percent

STOT : Systemic Target Organ Toxicity

DATE PREPARED : MAR 1, 2006 **DATE REVISED** : MAR 1, 2018